

|  |                               |                           |
|--|-------------------------------|---------------------------|
| Water System Name:<br>Hoffman Water  |                               | PWS ID No.:<br>1280096 RE |
| Collector:<br>Benjamin   | Date Collected:<br>09/07/2023 | County:<br>Kootenai       |
| Report Results to:<br>Hoffman Water<br>Leslie Rayner<br>P.O. Box 3388<br>Coeur d'Alene, ID 83816           |                               |                           |
| Phone: (208) 651-7769  | Fax:                          |                           |
| E-Mail: leslie@gemstate-water.com,pwsreports@deq.idaho.gov,cole@gemstate-water.com,info@gemstate-water.com |                               |                           |

**COLIFORM BACTERIA**  
ANALYSIS REPORT  
CONTAMINANT ID# 3100

|                       |                          |
|-----------------------|--------------------------|
| Type of System:       | <b>Public</b>            |
| Type of Sample:       | <b>Compliance Sample</b> |
| <b>Lab Order No.:</b> | <b>2023090121</b>        |

Water system info must be fully filled out or samples will not be run. Private samples do not need PWS# or Chlorine residual. Your sample will be analyzed for TOTAL COLIFORMS unless you specify analysis under Remarks.

|  |
|--|
| Laboratory Name:<br><b>Accurate Testing Labs, LLC</b><br>7950 Meadowlark Way<br>Coeur d'Alene, ID 83815<br>Phone (208) 762 8378 Fax (208) 762 9082<br>Web site: www.accuratetesting.com<br>E-mail: info@accuratetesting.com<br><br><b>Lab EPA ID No: ID00912</b> |
|--|

**For PWS only, if this is a repeat sample, mark the date of the ORIGINAL POSITIVE SAMPLE.**

| Sample Number | Sample Type       | Sample Location | Time Collected | Chlorine Residual ppm | Original Sample Date | Total Coliform Method:<br>9223B-PA | E. Coli Method:<br>9223B-PA |
|---------------|-------------------|-----------------|----------------|-----------------------|----------------------|------------------------------------|-----------------------------|
| 259438        | RS-Routine Sample | 1337 Violet     | 07:30          |                       |                      | Absent                             | Absent                      |

|                                  |          |            |                  |                                     |                           |
|----------------------------------|----------|------------|------------------|-------------------------------------|---------------------------|
| Sample Transportation by (Name): | Benjamin | Date/Time: | 09/07/2023 14:25 | Analyst: ME                         | Date Analyzed: 09/08/2023 |
| Sample Received by (Name):       | JM       | Date/Time: | 09/07/2023 14:25 | Supervisor: Rhena Cooper            |                           |
| Remarks:                         |          |            |                  | Date Reviewed and Printed: 09/08/23 |                           |